



## Sanjay Kandoth, M.D.

I	give Dr. Kandoth, and
"Sunrise Pediatrics" permission to perform circumcision on my son	
I understand the risks involved with this Kandoth, such as bleeding and infection agree to keep the area clean and wipe I understand that the plastic ring will fail	n, and I agree to the circumcision. I it with alcohol every diaper change.
Please give infant Tylenol every 4-6 ho little "Triple Antibiotic" after alcoholing.	urs as needed. After 24 hours put a
If the area is still bleeding I will return to the area is NOT BLEEDING, NO FURT	
PLEASE NOTE:	
ABSOLUTELY NO ONE IS ALLOWED PROCEDURE IS BEING DONE. PLEA OUTSIDE THE DOOR. THANK YOU.	
You will be charged \$25.00 if you are a hours of this procedure.	no show or do not cancel within 24
If there are any problems, please call u	ıs (702) 254-5437.
Parent Signature	 Date





## Sanjay Kandoth, M.D.

## ON DATE OF CIRCUMCISION

- Do not feed baby 1 hour prior to the circumcision
- 1 hour prior to the circumcision give baby 0.4 ml of Infant Tylenol
- Bring an extra diaper and a pacifier.

## **AFTER THE CIRCUMCISION**

A little bleeding is normal. Minimal oozing might persist for up to 2 hours. If bleeding is profuse and persists beyond 2 hours please take your infant to the nearest hospital Emergency Room.

- First day give baby 0.4 ml of Infant Tylenol every 6-8 hours, if necessary.
- Clean area around plastic bell with alcohol.
- Second day apply Neosporin or triple antibiotic ointment on the area for each diaper change.
- DO NOT PULL ON PLASTIC RING!
- No further follow up is necessary until baby's 2 month old check up and vaccines.

You will be charged a \$25.00 fee for a no show or if you do not cancel within 24 hours of your circumcision appointment.

If you have any questions please call our office at 702-254-5437